

深圳市科源信科技有限公司 Shenzhen KeYuanXin Technology CO., LTD

产品规格书 SPECIFICATION FOR APPROVAL

深圳市福田区振华路 118 号华丽装饰一栋西座 306A 306A Block West Building 1, Huali Decoration NO. 118 Zhenhua Road Futian District Shenzhen 电话 TEL: 4008-735-535 传真 FAX: 0755-23616323



Product Name:	Crystal
Product Type:	SMD 2520
Nominal Freq:	40.0000MHz
ProvideBrand:	KKST
P/N:	KAD4000B01R
Customer P/N:	
Approved By Customer	
Signature:	Date:

CONTENT


- NO.1 Product specification and features
- NO.2 Product outline dimension
- NO.3 Product reliability
- NO.4 Package specification


N0.1 Product specification and features


1.1 General characteristics		
Nominal frequency	40.000000 MHz	
Overtone order	Fundamental	
Туре	SMD2520	
Operating temperature	-20~70 °C	
Storage temperature	-40~85 °C	
1.2 Electric characteristics		
Adjustment tolerance: (at+25℃)	\pm 10 ppm	
Tolerance over the temperature:	±20 ppm	
Load capacitance	10.0 pF	
Drive level	10.0 µW	
Equivalent resistance	40.0 Ω Max	
Shut capacitance	7.0pF Max	
Insulation resistance	500 M Ω Min 100VDC \pm 15VDC	
Aging	\pm 3ppm/Year	
1.3 Other characteristics		
SPDB	<-3 dB	


NO.2 Outline dimensions Appearances


2.1 Product outline dimension(mm)















2.2 Carrier Dimensional Drawing (mm)



2.3 Reel Dimensional Drawing (mm)



NO.3 Product reliability

Item	Condition	Result
A1	Cold resistance Stored at -40±2°C for 1000±2 hrs then 25±2°C 1~2 hrs before testing	(I)
A2	Heat resistance Stored at 85±2°C for 1000±2 hrs then 25±2°C 1~2 hrs before testing (I)	
A3	Salt Mist Test Spray the 35°C±2°C salt water (salt density 5%) to crystal for 48±2hrs,then clean by water (I)	
A4	Humidity Resistance Result Steady temperature: $60\pm2^{\circ}\mathrm{C}$; humidity: $90\sim95~\%$ RH; time:500h	
A 5	Mechanical Shock 14700m/S² 0.5sec 5times in each of 6 direction (I)	
A6	Aging Stored at 85±3°C for 720±12Hrs then 25±2°C 1~2 Hrs before testing Stored at 25±2°C for 1±0.03 year (I)	
A7	Leakage Fine leak: Helium leak test *JIS C 6701 10.6 (V)	
A8	Temperature Cycle -40° $\sim 85^{\circ}$, Dewell 30Min, 100 cycles $\frac{260\pm5^{\circ}}{150\pm5^{\circ}}$ Cooling $\frac{120 \text{sec}}{10 \text{sec}}$	(1)

3.1 Mechanism characteristics

B.1	Drop Test Device are dropped from a height of 100 cm onto 20mm thickness stainless plate executing 3 times of random drops (I)	
B.2	Resistance of Vibration Frequency: 10~55Hz, amplitude(total excursion): 1.5mm±15%,3 direction (X,Y,Z) each 2 hr	
B.3	Resistance to soldering heat (Hand soldering method) Temperature: 370~400°C; Time: 3~4sec; Frequency: 2 times; Soldering iron: 60W/Min	
B.4	Solderability 240±2℃, 3±0.5sec	(II)
B.5	Reflow) Resistance to soldering heat (Reflow) 260± 5°C; 10S; 2Times Reflow TEMP. (°C) 300— 250— 250— 200— 180— 100— 50— TIME (sec)	(I)

Item	Result NO.	Specification Requirements
1	(I)	Frequency variation <±10ppm Resistance variation <5 Ω or 15% of RR spec., select the bigger value
2	(11)	The covering rate of Tin-plating is more than 95%
3	(Ⅲ)	There is no bubbles after the Crystal is dipped in the water Insulation Resistance: 500 M Ω Min 100VDC/±15VDC
4	(M)	The Crystal is no crackle under the observation of 10 times Magnifier.
5	(V)	1*10-9Pa.m³/s Max



NO.4 Package specification


4.1 Marking



4.2 Label



4.3 Package specification



浏览网址:WWW.SZKYX.CN